

Amendments to the Claims

Please amend the claims without prejudice. The listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of the Claims

1. (Currently amended) A method of evaluating changes for a wellbore interval, comprising:
 - obtaining first log data acquired by a logging sensor (8, 5, 6, 3) during a first pass over the wellbore interval;
 - obtaining second log data at a time later than the first log data, said second log data being acquired by the logging sensor during a second pass over the wellbore interval;
 - calculating a plurality of delta values between the first log data and the second log data;
 - deriving an observed effect using the plurality of the delta values; ~~and~~
 - identifying a correlation between the observed effect and a causal event;
 - and
 - displaying said correlation on a display device so that changes for the wellbore interval can be evaluated.
2. (Cancelled).
3. (Previously presented) The method of claims 1, wherein the logging sensor measures at least one parameter selected from the group consisting of gamma ray, resistivity, neutron porosity, density, ultrasonic caliper, and sigma.
4. (Previously presented) The method of claim 1, wherein the logging sensor is disposed on an integrated measurement tool.

5. (Previously presented) The method of claim 1, wherein the correlation is a depth correlation.
6. (Previously presented) The method of claim 1, wherein the correlation is a time correlation.
7. (Original) The method of claim 1, further comprising:
calculating a relative effect using a sensitivity factor to adjust the correlation; and
displaying the correlation and the relative effect on a display device (82).
8. (Currently Amended) A system for evaluating changes for a wellbore interval comprising:
a well log data acquisition system (7) for acquiring first log data and second log data, at a time later than said first log data, from a logging sensor (8, 5, 6, 3) during a plurality of passes over the wellbore interval; and
a well log data processing system (72, 74, 76) for:
calculating a plurality of delta values between the first log data and the second log data;
deriving an observed effect using the plurality of the delta values; ~~and~~
identifying a correlation between the observed effect and a causal event;
and
displaying the correlation on the computer display so that changes for the wellbore interval can be evaluated.
9. (Cancelled).
10. (Previously presented) The system of claim 8, wherein the logging sensor measures at least one parameter selected from the group consisting of gamma ray, resistivity, neutron porosity, density, ultrasonic caliper, and sigma.
11. (Previously presented) The system of claim 8, wherein the logging sensor is disposed on an integrated measurement tool.

12. (Previously presented) The system of claim 8, wherein the correlation is a depth correlation.
13. (Previously presented) The system of claim 8, wherein the correlation is a time correlation.
14. (Original) The system of claim 8, further comprising a well log data processing system (72, 74, 76) for calculating a relative effect using a sensitivity factor to adjust the correlation; and displaying the correlation and the relative effect on a display device.
15. (Currently amended) A computer system for evaluating changes for a wellbore interval, comprising:
- a processor (72);
 - a memory (74);
 - a storage device (76);
 - a computer display (82); and
 - software instructions stored in the memory for enabling the computer system under control of the processor, to perform:
 - gathering first log data from a logging sensor during a first pass over the wellbore interval;
 - gathering second log data, at a time later than said first log data, from the logging sensor during a second pass over the wellbore interval;
 - calculating a plurality of delta values between the first log data and the second log data;
 - deriving an observed effect using the plurality of the delta values;
 - identifying a correlation between the observed effect and a causal event;
 - and
 - displaying the correlation on the computer display so that changes for the wellbore interval can be evaluated.